AD-A043 593 TEXAS UNIV AT EL PASO DEPT OF ELECTRICAL ENGINEERING F/G 4/1
HIGH-LATITUDE PHOTODISSOCIATION RATES AND PREDICTED SOLAR FLUX --ETC(U)
JUL 77 J COLLINS DAAD07-74-C-0263
UNCLASSIFIED SP15-77-UA-43 ECOM-77-5 NL

| OF |

AD
A043 593

END
DATE
FILMED
9-77
DDC

(12)

AD

Reports Control Symbol
OSD-1366

ADA043593

RESEARCH AND DEVELOPMENT TECHNICAL REPORT
ECOM-77-5

HIGH-LATITUDE PHOTODISSOCIATION RATES AND PREDICTED SOLAR FLUX INTENSITIES

An Addendum to ECOM-77-1, "STRATCOM-Related Photodissociation Rates and Solar Flux Intensities"

DDC
SEP 1 1977
C

By

Jerry Collins
Electrical Engineering Department
The University of Texas at El Paso
El Paso, Texas 79968

Contract Monitor: Harold N. Ballard
Atmospheric Sciences Laboratory
US Army Electronics Command
White Sands Missile Range, New Mexico 88002

July 1977

Approved for public release; distribution unlimited.

AD No.
DDC FILE COPY

ECOM

UNITED STATES ARMY ELECTRONICS COMMAND - FORT MONMOUTH, NEW JERSEY 07703

NOTICES

Disclaimers

The findings in this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

The citation of trade names and names of manufacturers in this report is not to be construed as official Government indorsement or approval of commercial products or services referenced herein.

Disposition

Destroy this report when it is no longer needed. Do not return it to the originator.

SECURITY CLASSIFICATION OF THIS PAGE (*When Data Entered*)

REPORT DOCUMENTATION PAGE

READ INSTRUCTIONS BEFORE COMPLETING FORM

1. REPORT NUMBER: ECOM-77-5	2. GOVT ACCESSION NO.
3. RECIPIENT'S CATALOG NUMBER	
4. TITLE (and Subtitle): HIGH-LATITUDE PHOTODISSOCIATION RATES AND PREDICTED SOLAR FLUX INTENSITIES - An Addendum to ~~ECOM-7741~~, "STRATCOM-Related Photodissociation Rates and Solar Flux Intensities".	5. TYPE OF REPORT & PERIOD COVERED: Special Report.
	6. PERFORMING ORG. REPORT NUMBER: SP15-77-UA-43
7. AUTHOR(s): Jerry Collins	8. CONTRACT OR GRANT NUMBER(s): DAAD07-74-C-0263
9. PERFORMING ORGANIZATION NAME AND ADDRESS: Electrical Engineering Department, The University of Texas at El Paso, El Paso, Texas 79968	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
11. CONTROLLING OFFICE NAME AND ADDRESS: US Army Electronics Command, Fort Monmouth, NJ 07703	12. REPORT DATE: July 1977
	13. NUMBER OF PAGES: 28
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office): Atmospheric Sciences Laboratory, US Army Electronics Command, White Sands Missile Range, NM 88002	15. SECURITY CLASS. (of this report): UNCLASSIFIED
	15a. DECLASSIFICATION/DOWNGRADING SCHEDULE

16. DISTRIBUTION STATEMENT (*of this Report*)

Approved for public release; distribution unlimited.

12 30p.

DDC RECEIVED SEP 1 1977 C

17. DISTRIBUTION STATEMENT (*of the abstract entered in Block 20, if different from Report*)

18. SUPPLEMENTARY NOTES

Contract Monitor: Mr. Harold Ballard
Atmospheric Sciences Laboratory
White Sands Missile Range, NM 88002

19. KEY WORDS (*Continue on reverse side if necessary and identify by block number*)

Photodissociation rates
Solar flux intensities
65° north latitude

20. ABSTRACT (*Continue on reverse side if necessary and identify by block number*)

Photodissociation rates and predicted solar flux intensities have been reported previously by J. L. Collins for conditions closely corresponding to those of the STRATCOM (STRATospheric COMposition) balloon launches made by the Atmospheric Sciences Laboratory (ASL) at Holloman Air Force Base, New Mexico. This brief addendum to that report extends the calculations to include rates and solar flux intensities predicted for 65.3° north latitude. This is the location of the U. S. Army's Meteorological Rocket Station at Poker Flat, Alaska, where it is possible that such correlated experiments as the STRATCOM balloon launches

DD FORM 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE

SECURITY CLASSIFICATION OF THIS PAGE (*When Data Entered*)

408579

20. ABSTRACT (cont)

will be made in the future.

TABLE OF CONTENTS

ACCESSION for
NTIS White Section
DDC Buff Section
UNANNOUNCED
JUSTIFICATION
BY
DISTRIBUTION/AVAILABILITY CODES
Dist. SPECIAL
A

1. INTRODUCTION

Photodissociation rates have been reported recently[1] for 32° north latitude. These values were calculated for conditions closely corresponding to those of the STRATCOM balloon launches made by ASL at Holloman Air Force Base, New Mexico, as part of their experimental program to study the structure and composition of the upper atmosphere.

Future measurements could include balloon launches made from experimental stations at other latitudes; therefore, this brief addendum to the original report includes twenty-four photodissociation rates calculated for thirteen atmospheric species in the 10-50 altitude interval for 65.3° north latitude, the location of the U. S. Army's Meteorological Rocket Station in Poker Flat, Alaska. For purposes of comparison, these calculations were made for September 25, the date of calculations made for 32° north latitude.

2. INPUT DATA AND COMPUTATIONAL METHOD

Initially, photodissociation rates were calculated using the standard 32° north density profiles except for ozone and nitric acid. The ozone profile is based on the February-March 1975 measurements of Randhawa[2] at Poker Flat, with his best estimate for the seasonal variation and nitric acid being arbitrarily increased by about 30 percent. These initial rates were used in the ASL Chemical Kinetic Model, ASA[3], to predict new profiles using Olsen's[4] experimental temperature profile taken at Poker Flat during February-March 1975 with adjusted O_2 and N_2 profiles from the Fort Creely[5] model atmosphere (64° north latitude). The input density profiles for H_2O, NO_2, NO, N_2O, HNO_3, CO_2 and CH_4[6-22] were adjusted based on recent measurements, most of which were made at higher latitudes.

Using the profiles predicted by ASA, the photodissociation rates and solar flux intensities were recalculated, and a second calculation of the profiles was made using the new rates.

3. RESULTS

The numerical values of photodissociation reaction rates calculated for the maximum solar zenith angle on September 28, 1976, at 65.3° north latitude are listed with those previously reported for 32° north latitude for the convenience of the user. These values may be found in Appendix A with computerized plots of the high latitude rates. As before, zero rates are tabulated as 1.0×10^{-24}.

Plots of the solar flux at typical balloon flight altitudes are given in Figures 3.1 through 3.5.

FIG. 3.1 SOLAR FLUX INTENSITIES PREDICTED AT 47.5 KM.



FIG. 3.2 SOLAR FLUX INTENSITIES PREDICTED AT 42.5 KM.



FIG. 3.3 SOLAR FLUX INTENSITIES PREDICTED AT 37.5 KM.



FIG. 3.4 SOLAR FLUX INTENSITIES PREDICTED AT 32.5 KM.



FIG. 3.5 SOLAR FLUX INTENSITIES PREDICTED AT 27.5 KM.



REFERENCES

1. Collins, J. L. "STRATCOM-Related Photodissociation Rates and Solar Flux Intensities, "Special Report SP5-76-UA-26, Electrical Engineering Department, The University of Texas at El Paso (1976).

2. Randhawa, J., Personal Communication (1977).

3. Hudson, F. P., H. N. Ballard and J. M. Serna, "ANMAR: The ASL Numerical Models of Atmospheric Radiation, Composition and Dynamics." In publication.

4. Olsen, R., Personal Communication (1977).

5. Fort Greeley Missile Range Reference Atmosphere, Part 1, IRIG Document 104-63, October (1964).

6. The Natural Stratosphere of 1974, CIAP Monograph 1, prepared for the Department of Transportation, Chapter 3, Section 3, "Trace Gases," pp. 3-10 to 3-89 (1975).

7. Murcray, D. G., Personal Communication (1977).

8. Ridley, B. A. et al., "Measurements of NO between 17 and 34.5 km from Churchill, Manitoba," Proceedings of the Fourth Conference on the Climatic Impact Assessment Program, (Cambridge, MA), U. S. Department of Transportation, Report DOT-TSC-OST-75-38, p. 417 (1975).

9. Loewenstein, M., and H. Savage, "Latitudinal Measurements of NO and O_3 in the Lower Stratosphere from 5.5° to 82° North." Proceedings of the Fourth Conference on the Climatic Impact Assessment Program, (Cambridge, MA), U. S. Department of Transportation, Report DOT-TSC-OST-75-38, p. 422 (1975).

10. Loewenstein, M. et al., "Seasonal Variations of NO and O_3 at Altitudes of 18.3 and 21.3 km," Proceedings of the Fourth Conference on the Climatic Impact Assessment Program, (Cambridge, MA), U. S. Department of Transportation, Report DOT-TSC-OST-75-38, p. 425 (1975).

11. Murcray, D. G. et al., "Variation of HNO_3 Total Column Density with Latitude and Season, and a Measurement of CF_2Cl_2," Proceedings of the Fourth Conference on the Climatic Impact Assessment Program, (Cambridge, MA), U. S. Department of Transportation, Report DOT-TSC-OST-75-38, p. 432 (1975).

12. Ackerman, M., "Simultaneous Measurements of NO and NO_2 in the Stratosphere, and the Partitioning of Odd Nitrogen," Proceedings of the Fourth Conference on the Climatic Impact Assessment Program, (Cambridge, MA), U. S. Department of Transportation, Report DOT-TSC-OST-74-38, p. 438 (1975).

13. Bloxam, R. M., et al., "NO_2 Measurements by Absorption Spectrophotometer: Observations from the Ground and High-Altitude Balloon, Churchill, Manitoba, July, 1974," Proceedings of the Fourth Conference on the Climatic Impact Assessment Program, (Cambridge, MA), U. S. Department of Transportation, Report DOT-TSC-OST-75-38, p. 454 (1975).

14. Clark, T. A. and D. W. J. Kendall, "The Measurement of Minor Stratospheric Constituent Concentrations by Far Infra-Red Emission Spectroscopy, "Atmosphere, 14, 3, p. 155 (1976).

15. Kerr, J. B. and C. T. McElroy, "Measurement of Stratospheric Nitrogen Dioxide from the AES Stratospheric Balloon Program," Atmosphere, 14, 3, p. 166 (1976).

16. Evans, W. F. J., et al., "The Altitude Distribution of Nitric Acid at Churchill," Atmosphere, 14, 3, p. 172 (1976).

17. Ridley, B. A., et al., "Altitude Profile and Sunset Decay Measurements of Stratospheric Nitric Oxide," Atmosphere, 14, 3, p. 180 (1976).

18. Murcray, D. G., et al., "Stratospheric Mixing Ratio Profiles of Several Trace Gases as Determined from Balloon-Borne Infrared Spectrometers," Vol. 1 of The Proceedings of the International Conference on Structure, Composition, and General Circulation of the Upper-Lower Atmospheres and Possible Anthropogenic Perturbations, IUGG, IAMAP, The Australian Academy of Sciences and the U. S. Department of Transportation, (Melbourne, Australia), p. 292 (1974).

19. Mastenbrook, H. J., "Stratospheric Water Vapor Distribution and Variability," Vol. 1 of The Proceedings of the International Conference on Structure, Composition, and General Circulation of the Upper-Lower Atmospheres and Possible Anthropogenic Perturbations, IUGG, IAMAP, The Australian Academy of Sciences and the U. S. Department of Transportation, (Melbourne, Australia), p. 233 (1974).

20. Burkert, P., et al., "Stratospheric Water Vapour and Methane Profiles," Vol. 1 of The Proceedings of the International Conference on Structure, Composition, and General Circulation of the Upper-Lower Atmospheres and Possible Anthropogenic Perturbations, IUGG, IAMAP, The Australian Academy of Sciences and the U. S. Department of Transportation, (Melbourne, Australia), p. 267 (1974).

21. Evans, W. F. J., "Rocket Measurements of Water Vapour in the Stratosphere," Vol. 1 of The Proceedings of the International Conference on Structure, Composition, and General Circulation of the Upper-Lower Atmospheres and Possible Anthropogenic Perturbations, IUGG, IAMAP, The Australian Academy of Sciences and the U. S. Department of Transportation, (Melbourne, Australia), p. 249 (1974).

22. Harries, J. E., et al., "Submillimetre Wave Observations of Stratospheric Composition," Vol. 1 of The Proceedings of the International Conference on Structure, Composition, and General Circulation of the Upper-Lower Atmospheres and Possible Anthropogenic Perturbations, IUGG, IAMAP, The Australian Academy of Sciences and the U. S. Department of Transportation, (Melbourne, Australia), p. 275 (1974).

APPENDIX A

PHOTODISSOCIATION RATES



1 O2 + Hν = O + O 175.9-242.4 NM. Ø = 1.000



5 O3 + Hν = O + O2 [440.0] Ø = 1.000



6 O3 + Hν = O + O21D 310.0-360.0 NM.



7 O3 + Hν = O1D + O21D [310.0 NM.] Ø IS VARIABLE



8 O3 + Hν = O1S + O21D [199.0 NM.] Ø = 0.01



9 O3 + Hν = O + O21S [266.0 NM.] Ø = 0.05



11 NO2 + Hν = O + NO [>190.0] Ø IS VARIABLE



12 NO2 + Hν = O1D + NO [<190.0] Ø = 0.02-0.05



13 N2O + Hν = O1D + N2 [337.0 NM.] ϕ = 1.00



14 N2O + Hν = N + NO [255.0 NM.] ϕ = 0.01



15 $NO_3 + h\nu = O + NO_2$ [578.0 NM.] Ø = 0.10



16 $NO_3 + h\nu = O_2 + NO$ [680.0 NM.] Ø = 0.01



17 N2O5 + Hν = O + NO2 + NO2 [380.0 NM.] Ø = 0.50



19 HO2 + Hν = O + OH [185.0 NM.] Ø = 1.00



20 H2O2 + Hν = OH + OH [200.0-380.0] Ø = 1.00



21 CO2 + Hν = O + CO [227.5 NM.] Ø = 1.00



22 CO2 + Hν = O1D + CO [167.1 NM.] Ø = 1.00



23 CH4 + Hν = H + CH3 [162.5 NM.] Ø = 0.33



24 $CH_4 + h\nu = H_2 + CH_2$ [162.5 NM.] Ø = 0.67



25 $HCHO + h\nu = H + CHO$ [360.0 NM.] Ø IS VARIABLE



26 HCHO + Hν = H2 + CO [360.0 NM.] Ø IS VARIABLE



31 HNO2 + Hν = NO + OH [400.0 NM.] Ø = 1.00



32 HNO3 + Hν = NO2 + OH [190.0-325.0] Ø = 1.00



33 HNO3 + Hν = NO3+ H [210.0] Ø = 0.01

COMPARISON OF PHOTODISSOCIATION RATES

1 O2 + HV = O + O 175.9-242.4 NM. Ø = 1.000

KM.	32 N LATITUDE	65 N LATITUDE
50	.13-08	.11-08
45	.93-09	.80-09
40	.56-09	.46-09
35	.30-09	.10-09
30	.13-09	.20-10
25	.30-10	.29-11
20	.31-11	.56-13
15	.12-12	.14-15
10	.22-14	.49-19

5 O3 + HV = O + O2 (440.0) Ø = 1.000

KM.	32 N LATITUDE	65 N LATITUDE
50	.31-03	.31-03
45	.31-03	.31-03
40	.31-03	.30-03
35	.31-03	.30-03
30	.31-03	.29-03
25	.30-03	.29-03
20	.30-03	.29-03
15	.29-03	.28-03
10	.29-03	.27-03

6 O3 + HV = O + O21D 310.0-360.0 NM.

KM.	32 N LATITUDE	65 N LATITUDE
50	.10-23	.10-23
45	.10-23	.10-23
40	.10-23	.10-23
35	.10-23	.10-23
30	.10-23	.10-23
25	.10-23	.10-23
20	.10-23	.10-23
15	.10-23	.10-23
10	.10-23	.10-23

7 O3 + HV = O1D + O21D (310.0 NM.) Ø IS VARIABLE

KM.	32 N LATITUDE	65 N LATITUDE
50	.46-02	.38-02
45	.33-02	.25-02
40	.16-02	.11-02
35	.72-03	.47-03
30	.33-03	.16-03
25	.11-03	.36-04
20	.43-04	.12-04
15	.22-04	.50-05
10	.16-04	.23-05

8 O3 + Hv = O1S + O21D (199.0 NM.) Ø = 0.01

KM.	32 N LATITUDE	65 N LATITUDE
50	.35-07	.35-07
45	.27-07	.27-07
40	.19-07	.10-07
35	.11-07	.11-08
30	.48-08	.29-09
25	.99-09	.23-10
20	.77-10	.44-12
15	.17-11	.59-15
10	.22-14	.17-20

9 O3 + Hv = O + O21S (266.0 NM.) Ø = 0.05

KM.	32 N LATITUDE	65 N LATITUDE
50	.15-05	.24-06
45	.75-06	.17-06
40	.22-06	.12-06
35	.41-07	.20-07
30	.65-10	.34-10
25	.95-15	.73-15
20	.10-23	.10-23
15	.10-23	.10-23
10	.10-23	.10-23

11 NO2 + Hv = O + NO (>190.0) Ø IS VARIABLE

KM.	32 N LATITUDE	65 N LATITUDE
50	.14-01	.13-01
45	.14-01	.13-01
40	.13-01	.13-01
35	.13-01	.13-01
30	.13-01	.12-01
25	.13-01	.12-01
20	.12-01	.11-01
15	.12-01	.10-01
10	.11-01	.10-01

12 NO2 + Hv = O1D + NO (<190.0) Ø = 0.02-0.05

KM.	32 N LATITUDE	65 N LATITUDE
50	.35-04	.23-04
45	.30-04	.19-04
40	.21-04	.14-04
35	.12-04	.35-05
30	.49-05	.70-06
25	.97-06	.40-07
20	.92-07	.80-09
15	.44-08	.29-11
10	.17-09	.17-14

13 N2O + Hv = O1D + N2 (337.0 NM.) Ø = 1.00

KM.	32 N LATITUDE	65 N LATITUDE
50	.96-08	.94-08
45	.88-08	.57-08
40	.75-08	.51-08
35	.62-08	.38-08
30	.47-08	.27-08
25	.30-08	.15-08
20	.19-08	.74-09
15	.13-08	.39-09
10	.10-08	.90-10

14 N2O + Hv = N + NO (255.0 NM.) Ø = 0.01

KM.	32 N LATITUDE	65 N LATITUDE
50	.11-09	.11-09
45	.10-09	.95-10
40	.81-10	.61-10
35	.57-10	.28-10
30	.29-10	.61-11
25	.75-11	.98-12
20	.76-12	.76-13
15	.24-13	.97-14
10	.19-14	.30-16

15 NO3 + Hv = O + NO2 (578.0 NM.) Ø = 0.10

KM.	32 N LATITUDE	65 N LATITUDE
50	.97-03	.97-03
45	.97-03	.97-03
40	.97-03	.97-03
35	.97-03	.97-03
30	.97-03	.96-03
25	.96-03	.96-03
20	.96-03	.96-03
15	.95-03	.95-03
10	.94-03	.94-03

16 NO3 + Hv = O2 + NO (680.0 NM.) Ø = 0.01

KM.	32 N LATITUDE	65 N LATITUDE
50	.30-03	.30-03
45	.30-03	.29-03
40	.29-03	.29-03
35	.29-03	.29-03
30	.29-03	.28-03
25	.29-03	.28-03
20	.29-03	.28-03
15	.28-03	.28-03
10	.28-03	.28-03

17 N2O5 + Hv = O + NO2 + NO2 (380.0 NM.) Ø = 0.50

KM.	32 N LATITUDE	65 N LATITUDE
50	.23-03	.22-03
45	.20-03	.19-03
40	.15-03	.13-03
35	.10-03	.76-04
30	.60-04	.43-04
25	.38-04	.25-04
20	.27-04	.18-04
15	.23-04	.14-04
10	.21-04	.12-04

19 HO2 + Hv = O + OH (135.0 NM.) Ø = 1.00

KM.	32 N LATITUDE	65 N LATITUDE
50	.52-04	.40-04
45	.44-04	.32-04
40	.31-04	.23-04
35	.18-04	.12-04
30	.82-05	.26-05
25	.19-05	.18-06
20	.20-06	.37-08
15	.86-08	.11-10
10	.24-09	.55-14

20 H2O2 + Hv = OH + OH (200.0-380.0 NM.) Ø = 1.00

KM.	32 N LATITUDE	65 N LATITUDE
50	.14-03	.14-03
45	.12-03	.11-03
40	.10-03	.90-04
35	.82-04	.69-04
30	.68-04	.56-04
25	.56-04	.50-04
20	.49-04	.40-04
15	.45-04	.33-04
10	.40-04	.26-04

21 CO2 + Hv = O + CO (227.5 NM.) Ø = 1.000

KM.	32 N LATITUDE	65 N LATITUDE
50	.51-09	.31-09
45	.34-09	.19-09
40	.18-09	.81-10
35	.80-10	.10-10
30	.21-10	.30-12
25	.27-11	.10-13
20	.90-13	.26-15
15	.50-15	.60-19
10	.25-18	.10-23

22 CO_2 + Hv = O1D + CO (167.1 NM.) Ø = 1.0)

KM.	32 N LATITUDE	65 N LATITUDE
50	.10-23	.10-23
45	.10-23	.10-23
40	.10-23	.10-23
35	.10-23	.10-23
30	.10-23	.10-23
25	.10-23	.10-23
20	.10-23	.10-23
15	.10-23	.10-23
10	.10-23	.10-23

23 CH_4 + Hv = H + CH_3 (162.5 NM.) Ø = 0.33

KM.	32 N LATITUDE	65 N LATITUDE
50	.11-16	.10-23
45	.31-23	.10-23
40	.10-23	.10-23
35	.10-23	.10-23
30	.10-23	.10-23
25	.10-23	.10-23
20	.10-23	.10-23
15	.10-23	.10-23
10	.10-23	.10-23

24 CH_4 + Hv = H_2 + CH_2 (162.5 NM.) Ø = 0.67

KM.	32 N LATITUDE	65 N LATITUDE
50	.85-16	.26-23
45	.94-23	.10-23
40	.10-23	.10-23
35	.10-23	.10-23
30	.10-23	.10-23
25	.10-23	.10-23
20	.10-23	.10-23
15	.10-23	.10-23
10	.10-23	.10-23

25 HCHO + Hv = H + CHO (360.0 NM.) Ø IS VARIABLE

KM.	32 N LATITUDE	65 N LATITUDE
50	.41-03	.39-03
45	.41-03	.39-03
40	.40-03	.38-03
35	.39-03	.37-03
30	.38-03	.34-03
25	.35-03	.31-03
20	.33-03	.27-03
15	.30-03	.24-03
10	.27-03	.20-03

26 HCHO + Hv = H2 + CO (360.0 NM.) Ø IS VARIABLE

KM.	32 N LATITUDE	65 N LATITUDE
50	.25-03	.24-03
45	.24-03	.23-03
40	.24-03	.23-03
35	.22-03	.21-03
30	.20-03	.17-03
25	.17-03	.13-03
20	.14-03	.11-03
15	.12-03	.87-04
10	.11-03	.66-04

31 HNO2 + Hv = NO + OH (400.0 NM.) Ø = 1.00

KM.	32 N LATITUDE	65 N LATITUDE
50	.93-03	.88-03
45	.93-03	.88-03
40	.93-03	.87-03
35	.92-03	.87-03
30	.91-03	.86-03
25	.89-03	.83-03
20	.88-03	.80-03
15	.86-03	.74-03
10	.79-03	.63-03

32 HNO3 + Hv = NO2 + OH (190.0-325.0 NM.) Ø = 1.0

KM.	32 N LATITUDE	65 N LATITUDE
50	.13-03	.13-03
45	.12-03	.12-03
40	.95-04	.93-04
35	.68-04	.55-04
30	.37-04	.16-04
25	.11-04	.23-05
20	.23-05	.74-06
15	.10-05	.46-06
10	.79-06	.29-06

33 HNO3 + Hv = NO3 + H (210.0) Ø = 0.01

KM.	32 N LATITUDE	65 N LATITUDE
50	.15-07	.15-07
45	.13-07	.13-07
40	.11-07	.10-07
35	.76-08	.54-08
30	.41-08	.15-08
25	.12-08	.23-09
20	.25-09	.82-10
15	.11-09	.51-10
10	.88-10	.32-10

☆U.S. GOVERNMENT PRINTING OFFICE: 1977 777-022/9